



# ROTO MUT mini

SMALL. SLIM. STRONG.

Your perfect companion in narrow streets

**MUT**  
STEYR AUTOMOTIVE

# ROTO MUT mini

SMALL. SLIM. STRONG



## Key facts



body size  
4.7-10.5 m<sup>3</sup>



compression  
up to 1:6



Narrow design up to  
car width



rotary drum made of  
stainless steel

Our ROTO MUT rotary drum technology in combination with the compact design make our **ROTO MUT mini** your ideal companion in narrow streets, small driveways or parks - anywhere a normal vehicle cannot get to.

## Maneuverable & spacious

By integrating the attachment frame into the rear section, we shorten rear overhang and optimize the axle load ratio. That creates space for various body variants and additional features to meet your specific demands.



## Choose the body you need

You can get your ROTO MUT mini with body sizes between 4.7 and 10.5 m<sup>3</sup> and in two design variants:

### Styling Design

- + Cladding for additional noise reduction



### Naked Design

- + exposed rotary drum
- + conically shaped transition plates at the rear as protection



## Everything you need, nothing you don't want

Our ROTO MUT mini comes with many additional features to make your life easier and your tours more efficient. However, you can choose only those features, you really need:

- + turn assistance system
- + driver assistance system
- + camera system for 360 all round view
- + extended lighting
- + „Clean Air“ air filter system
- + container for special tools
- + extended service and care package



scan QR code to  
see it in action!



# MUT

STEYR AUTOMOTIVE



Steyr Automotive GmbH  
Schönauerstraße 5  
4400 Steyr  
Austria

+43 7252 585-0  
mut-inbox@steyr-automotive.com

[steyr-automotive.com/en/mut](https://steyr-automotive.com/en/mut)

Please note: Errors and omissions excepted. Illustrations similar. We reserve the right to make technical changes without prior notice.

Drawings may not show the current or actual version. This document, information or advice is for guidance only and cannot be used as a basis for contractual or other obligations. No obligation, responsibility or warranty to the publisher can be inferred from it.

All information is subject to the manufacturer's tolerance specifications. A tolerance of +/- 2% must be taken into account for all weights.