



SEWER FLUSHING VEHICLE KOMBI-M-U-T

DRAWS. POWERFUL. UNIVERSAL.

The perfect choice for withdrawing by suction and flushing

The wide range of variations of the **MUT sewer flushing vehicles** proves itself on the **high reliability** and the **maximum suction power and compression** when it is to be really clean

The ergonomic and sturdy design in an ideal combination with different types of equipment, make the **MUT sewer flushing vehicle** to one of the **most profitable** and **economical suction and flushing vehicles** on the global market.

BENEFICIAL

The thoughtful and compact construction design enables extremely fast and flexible operations without any retooling.

- the MUT tank in tank system optimizes the axle load ratio of the vehicle - extremely short overhang due to the construction and shortened wheelbase at the same time
- combination attachment is hydraulic rotatable and telescopable, via a wireless remote control
- optimized and ergonomic working space, adjusted to the vehicle

CLEAN

- * High tightness due to the design of the system
- tank washing facility and draining aid by a washing nozzle in the front of the mud tank

SAFE

- ° automatic locking of the control parts
- safety space towards the hazard area, via wireless remote control for the hydraulic combination attachment
- increased operational safety, power efficiency and smoothness due to latest electronics





MUT Control Panel

central control over the KOMBI-M-U-T

either at the lit-up control panel or via wireless remote control possible

simple operation of all work steps

ADAPTABLE

- body size for two- to four-axle chassis
- combination of suction and high pressure flushing vehicle
- optimized version, adjusted to the chassis
- ° container made out of **stainless steel**
- MUT tank in tank system optimizes the weight distribution for an ideal axle load ratio
- ° serial high pressure pump and vacuum pump
- high pressure hose reel, hydraulically powered
- ° delivery for case of suction hose
- 3 stage water recycling system: coarse precipitator, rotating-gap-filter, cyclone
- facility for self-cleaning filters no additiona maintenance effort
- ° delivery for case of suction hose
- Industry X.0-capable digital integration into the fleet
- panels on the side (optional) can be used as a large advertising space
- minimum warranty of 2 years

EXPANDABLE

MUT Visibility and Safety packages

- ° camerasystem, up to 360° all-round visibility
- ° LED-all-round light
- ° numerous other options available

MUT EASY WORK packages

- ° different sizes of hose reels
- ° delivery for case of longer suction hoses
- MUT XXL series for unusual demands
- ° numerous other options available

MUT Service packages

- warranty extension up to 60 months
- ° care of vehicle fleet, incl. annual check
- servicepackage "M-U-T All In"



MUT EXPERIENCE

Sophisticated MUT design

Optimized even axle load distribution during different loading conditions, concerted components and variable configurability at the same time make the MUT sewer flushing vehicle to the most flexible and powerful suction and flushing vehicles on the market. High system tightness due to the special design.

Safety at the workplace

Automatic locking of all components, good overview of the vehicle as well as optimum lighting in the working area. Ergonomic design and low noise operations due to optimized system design.

Cost-effective

High flexibility caused by low tare weight, low-maintenance and long lasting structure: low wear and tear because of the usage of stainless steel particles and just few moving parts.

Convenience

Simple handling via the adaptable MUT Multifunctional Touch Display and wireless remote control. Industry X.0-capable - for an ideal digital integration into the fleet.

Variety of Models and Modularity

Different sizes of construction available, with adjustable data of performance - for different types of operations and customer requests - up to XXL-versions. The wide range of additional equipment in the scope of safety, environmental protection and convenience as well as diverse attachments, allows an individual adjustment of the MUT sewer flushing vehicle to the required claims and tasks.





STEYR AUTOMOTIVE GmbH A-4400 Steyr • Schönauerstraße 5

mut-inbox@steyr-automotive.com +43 7252 585-0

steyr-automotive.com

be used as a basis for contractual or other obligations. No obligation, responsibility or warranty to the publisher can be inferred from it. All information is subject to the manufacturer's tolerance specifications. A tolerance of +/- 2% must be taken into account for all weights.